AUTHOR INDEX

Anderson, Wayne J., Reflection spectroscopy analysis of surfaces and thin films, 214
Aspnes, D. E., Microstructural information from optical properties in semiconductor technology, 188
———, Optical detection and minimization of surface overlayers on semiconductors using spectroscopic ellipsometry, 227
Azzam, R. M. A., Ellipsometric configurations and techniques, 180
———, Characteristics of polarized light reflection from the SiO_2-Si film-substrate system, 242
Baird, W. E., Jr., Characterization of thermal annealing of implanted GaAs using Raman scattering, 84
Bajaj, K. K., Infrared localized vibrational mode spectroscopy of carbon-implanted GaAs, 109
Bishop, S. G., Characterization of semiconductors by photoluminescence and photoluminescence excitation spectroscopy, 2
Bottka, N., Internal electroabsorption in heterostructures: a nondestructive optical method for probing epitaxial layers, 157
Busta, Heinz H., End-point detection with laser interferometry, 164
Detrio, John A., Light scattering surface roughness characterization, 136
Dimitriou, P., Process control in semiconductor technology using ellipsometry, 196
Efron, U., Characterization of low-doped metal oxide semiconductor (MOS) structures using pulsed photoinjection, 59
Erman, M., Process control in semiconductor technology using ellipsometry, 196
Foo, Pang-Dow, Optical methods for end-point detection in plasma etching, 170
Gordon, J. G., III, Surface plasmon spectroscopy for the optical characterization of thin metal films and their surfaces, 96
Grinberg, J., Characterization of low-doped metal oxide semiconductor (MOS) structures using pulsed photoinjection, 59
Hamakawa, Y., Photoluminescence characterization of thermally-induced defects in Czochralski-grown Si wafers, 31
Hansen, Wilford N., Reflection spectroscopy analysis of surfaces and thin films, 214
Helms, C. R., Future needs for semiconductor characterization, 120
Hess, L. D., Laser-induced crystal growth measurements by time-resolved optical reflectivity, 128
Hills, Marian E., Internal electroabsorption in heterostructures: a nondestructive optical method for probing epitaxial layers, 157
Kannam, P. J., Ligetime scanning measurements on $Hg_{0.7}Cd_{0.3}Te$ by population modulation, 55
Katsura, J., Photoluminescence characterization of thermally-induced defects in Czochralski-grown Si wafers, 31
Kokorowski, S. A., Laser-induced crystal growth measurements by time-resolved optical reflectivity, 128
Litton, C. W., Semiconductor materials characterization by high-resolution optical spectroscopy, 11
———, Infrared localized vibrational mode spectroscopy of carbon-implanted GaAs, 109
Lum, W. Y., Electro-optical characterization of semiconductors, 48
Marcoux, Paul J., Optical methods for end-point detection in plasma etching, 170
McKnight, S. W., Cathodoluminescence studies of semiconductor-oxide interfaces, 39
Mead, D. G., Direct determination of the far-infrared optical constants of a solid, 113
Moore, W. J., Infrared transmission characterization of p-type gallium arsenide, 101
Mroczkowski, J. A., Lifetime scanning measurements on $Hg_{0.7}Cd_{0.3}Te$ by population modulation, 55
Nakayama, H., Photoluminescence characterization of thermally-induced defects in Czochralski-grown Si wafers, 31
Nedoluha, A. K., Electro-optical characterization of semiconductors, 48
Nishino, T., Photoluminescence characterization of thermally-induced defects in Czochralski-grown Si wafers, 31
Olson, G. L., Laser-induced crystal growth measurements by time-resolved optical reflectivity, 128
Park, Y. S., Characterization of thermal annealing of implanted GaAs using Raman scattering, 84
Polla, D. L., Lifetime scanning measurements on $Hg_{0.7}Cd_{0.3}Te$ by population modulation, 55
Pollak, Fred H., Modulation spectroscopy as a technique for semiconductor characterization, 142
Potter, Roy F., Optical properties of lamelliform materials, 204
Reynolds, D. C., Semiconductor materials characterization by high-resolution optical spectroscopy, 11
Roth, J. A., Laser-induced crystal growth measurements by time-resolved optical reflectivity, 128
Schwartz, G. P., Raman scattering detection of elemental Group V deposits in native oxides on III-V compound semiconductors, 72
Senitzky, Benjamin, Infrared reflectance spectra of thin epitaxial silicon layers, 222
Shanley, J. F., Lifetime scasnning measurements on $Hg_{0.7}Cd_{0.3}Te$ by population modulation, 55
Sopori, B. L., Applications of a two-wavelength laser scanner for material/device characterization, 61
Sorensen, G. K., New high pricision differential spectrometer: construction, characteristics, and capabilities, a, 234
Stephens, R. B., New high precision differential spectrometer: construction, characteristics, and capabilities, a, 234
Studna, A. A., Optical detection and minimization of surface overlayers on semiconductors using spectroscopic ellipsometry, 227
Theeten, J. B., Process control in semiconductor technology using ellipsometry, 196
Theis, W. M., Infrared localized vibrational mode spectroscopy of carbon-implanted GaAs, 109
Tsu, Raphael, Material characterization by raman scattering, 78
Turley, R. S., Laser-induced crystal growth measurements by time-resolved optical reflectivity, 128
Weeks, S. P., Infrared reflectance spectra of thin epitaxial silicon layers, 222
Wieder, H. H., Electro-optical characterization of semiconductors, 48
Yaney, P. P., Characterization of thermal annealing of implanted GaAs using Raman scattering, 84
Zaghloul, A.-R. M., Characteristics of polarized light reflection from the SiO_2-Si film-substrate system, 242
Zavada, J. M., Optical properties of proton implanted n-type GaAs, 104

SUBJECT INDEX

Analysis of surfaces and thin films, reflection spectroscopy, 214
Annealing of implanted GaAs using Raman scattering, characterization of thermal, 84
Applications of a two-wavelength laser scanner for material/device characterization, 61
Arsenide, infrared transmission characterization of p-type gallium, 101
Capabilities, a new high precision differential spectrometer: construction, characteristics, and, 234
Carbon-implanted GaAs, infrared localized vibrational mode spectroscopy of, 109
Cathodoluminescence studies of semiconductor-oxide interfaces, 39
Characteristics, and capabilities, a new high precision differential spectrometer: construction, 234
Characteristics of polarized light reflection from the Si_2-Si film-substrate system, 242

Characterization, application of a two-wavelength laser scanner for material/device, 61
Characterization, future needs for semiconductor, 120
Characterization by high-resolution optical spectroscopy, semiconductor materials, 11
Characterization, light scattering surface roughness, 136
Characterization of low-doped metal oxide semiconductor (MOS) structures using pulsed photoinjection, 59
Characterization, modulation spectroscopy as a technique for semiconductor, 142
Characterization of p-type gallium arsenide, infrared transmission, 101
Characterization by raman scattering, material, 78
Characterization of semiconductors, electro-optical, 48
Characterization of semiconductors by photoluminescence and photoluminescence excitation spectroscopy, 2
Characterization of thermal annealing of implanted GaAs using Raman scattering, 84
Characterization of thermally-induced defects in Czochralski-grown Si wafers, photoluminescence, 31
Characterization of thin metal films and their surfaces, surface plasmon spectroscopy for the optical, 96
Compound semiconductors, Raman scattering detection of elemental Group V deposits in native oxides, 72
Configurations and techniques, ellipsometric, 180
Constants of a solid, direct determination of the far-infrared optical, 113
Construction, characteristics, and capabilities; a new high precision differential spectrometer:, 234
Control in semiconductor technology using ellipsometry, process, 196
Crystal growth measurements by time-resolved optical refectivity, laser-induced, 128
Czochralski-grown Si wafers, photoluminescence characterization of thermally-induced defects in, 31

Defects in Czochralski-grown Si wafers, photoluminescence characterization of thermally-induced, 31
Deposits in native oxides on III-V compound semiconductors, Raman scattering detection of elemental Group V, 72
Detection of elemental Group V deposits in native oxides on III-V compound semiconductors, Raman scattering, 72
Detection with laser interferometry, end-point, 164
Detection and minimization of surface overlayers on semiconductors using spectroscopic ellipsometry, 227
Detection in plasma etching, optical methods for end-point, 170
Determination of the far-infrared optical constants of a solid, direct, 113
Device characterization, applications of a two-wavelength laser scanner for material/, 61
Differential spectrometer: construction, characteristics, and capabilities, a new high precision, 234
Direct determination of the far-infrared optical constants of a solid, 113

Electroabsorption in heterostructures: a non-destructive optical method for probing epitaxial layers, internal, 157
Electro-optical characterization of semiconductors, 48
Elemental Group V deposits in native oxides on III-V compound semiconductors, Raman scattering detection of, 72
Ellipsometric configurations and techniques, 180
Ellipsometry, optical detection and minimization of surface overlayers on semiconductors using spectroscopic, 227
Ellipsometry, process control in semiconductor technology using, 196
End-point detection with laser interferometry, 164
End-point detection in plasma etching, optical methods for, 170
Eptiaxial layers, internal electroabsorption in heterostructures: a nondestructive optical method for probing, 157
Epitaxial silicon layers, infrared reflectance spectra of thin, 222
Etching, optical methods for end-point detection in plasma, 170
Excitation spectroscopy, characterization of semiconductors by photoluminescence and photoluminescence, 2

Far-infrared optical constants of a solid, direct determination of the, 113
Film-substrate system, characteristics of polarized light reflection from the SiO_2-Si, 242
Films and their surfaces, surface plasmon spectroscopy for the optical characterization of thin metal, 96
Future needs for semiconductor characterization, 120

GaAs, infrared localized vibrational mode spectroscopy of carbon-implanted, 109
GaAs, optical properties of proton implanted n-type, 104
GaAs using Raman scattering, characterization of thermal annealing of implanted, 84
Gallium arsenide, infrared transmission characterization of p-type, 101
Group V deposits in native oxides on III-V compound semiconductors, Raman scattering detection of elemental, 72
Growth measurements by time-resolved optical reflectivity, laser-induced crystal, 128

$Hg_{0.7}Cd_{0.3}Te$ by population modulation, lifetime scanning measurements on, 55
Heterostructures: a nondestructive optical method for probing epitaxial layers, internal electroabsorption in, 157
High precision differential spectrometer: construction, characteristics, and capabilities, a new, 234
High-resolution optical spectroscopy, semiconductor materials characterization by, 11

Implanted GaAs, infrared localized vibrational mode spectroscopy of carbon-, 109
Implanted GaAs using Raman scattering, characterization of thermal annealing of, 84
Implanted n-type GaAs, optical properties of proton, 104
Induced crystal growth measurements by time-resolved optical reflectivity, laser-, 128
Induced defects in Czochralski-grown Si wafers, photoluminescence characterization of thermally-, 31
Information from optical properties in semiconductor technology, microstructural, 188
Infrared localized vibrational mode spectroscopy of carbon-implanted GaAs, 109
Infrared optical constants of a solid, direct determination of the far-, 113
Infrared reflectance spectra of thin epitaxial silicon layers, 222
Infrared transmission characterization of p-type gallium arsenide, 101
Interfaces, cathodoluminescence studies of semiconductor-oxide, 39
Interferometry, end-point detection with laser, 164
Internal electroabsorption in heterostructures: a nondestructive optical method for probing epitaxial layers, 157

Lamelliform materials, optical properties of, 204
Laser-induced crystal growth measurements by time-resolved optical reflectivity, 128
Laser interferometry, end-point detection with, 164
Laser scanner for material/device characterization, applications of a two-wavelength, 61
Lifetime scanning measurements on $Hg_{0.7}3Cd_{0.3}Te$ by population modulation, 55
Light reflection from the SiO_2-Si film-substrate system, characteristics of polarized, 242
Light scattering surface roughness characterization, 136
Localized vibrational mode spectroscopy of carbon-implanted GaAs, infrared, 109
Low-doped metal oxide semiconductor (MOS) structures using pulsed photoinjection, characterization of, 59

(MOS) structures using pulsed photoinjection, characterization of low-doped metal oxide semiconductor, 59
Material characterization by raman scattering, 78

Material/device characterization, applications of a two-wavelength laser scanner for, 61
Materials characterization by high-resolution optical spectroscopy, semiconductor, 11
Materials, optical properties of lamelliform, 204
Measurements on $Hg_{0.7}Cd_{0.3}Te$ by population modulation, lifetime scanning, 55
Measurements by time-resolved optical reflectivity, laser-induced crystal growth, 128
Metal films and their surfaces, surface plasmon spectroscopy for the optical characterization of thin, 96
Metal oxide semiconductor (MOS) structures using pulsed photoinjection, characterization of low-doped, 59
Method for probing epitaxial layers, internal electroabsorption in heterostructures: a nondestructive optical, 157
Methods for end-point detection in plasma etching, optical, 170
Microstructural information from optical properties in semiconductor technology, 188
Minimization of surface overlayers on semiconductors using spectroscopic ellipsometry, optical detection and, 227
Mode spectroscopy of carbon-implanted GaAs, infrared localized vibrational, 109
Modulation, lifetime scanning measurements on $Hg_{0.7}Cd_{0.3}Te$ by population, 55
Modulation spectroscopy as a technique for semiconductor characterization, 142

Native oxides on III-V compound semiconductors, Raman scattering detection of elemental Group V deposits in, 72
Needs for semiconductor characterization, future, 120
New high precision differential spectrometer: construction, characteristics, and capabilities, a, 234
Nondestructive optical method for probing epitaxial layers, internal electroabsorption in heterostructures: a, 157
N-type GaAs, optical properties of proton implanted, 104

Optical characterization of thin metal films and their surfaces, surface plasmon spectroscopy for the, 96
Optical constants of a solid, direct determination of the far-infrared, 113
Optical detection and minimization of surface overlayers on semiconductors using spectroscopic ellipsometry, 227
Optical method for probing epitaxial layers, internal electroabsorption in heterostructures: a nondestructive, 157
Optical methods for end-point detection in plasma etching, 170
Optical properties of lamelliform materials, 204
Optical properties of proton implanted n-type GaAs, 104
Optical properties in semiconductor technology, microstructural information from, 188
Optical relectivity, laser-induced crystal growth measurenents by time-resolved, 128
Optical spectroscopy, semiconductor materials characterization by high-resolution, 11
Overlayers on semiconductors using spectroscopic ellipsometry, optical detection and minimization of surface, 227
Oxide interfaces, cathodoluminescence studies of semiconductor-, 39
Oxide semiconductor (MOS) structures using pulsed photoinjection, characterization of low-doped metal, 59
Oxides on III-V compound semiconductors, Raman scattering detection of elemental Group V deposits in native, 72

P-type gallium arsenide, infrared transmission characterization of, 101
Photoinjection, characterization of low-doped metal oxide semiconductor (MOS) structures using pulsed, 59
Photoluminescence characterization of thermally-induced defects in Czochralski-grown Si wafers, 31
Photoluminescence and photoluminescence excitation spectroscopy, characterization of semiconductors by, 2
Plasma etching, optical methods for end-point detection in, 170
Plasmon spectroscopy for the optical characterization of thin metal films and their surfaces, surface, 96
Polarized light reflection from the SiO_2-Si film-substrate system, characteristics of, 242
Population modulation, lifetime scanning measurements on $Hg_{0.7}Cd_{0.3}Te$ by, 55
Precision differential spectrometer: construction, characteristics, and capabilities, a new high, 234
Probing epitaxial layers, internal electroabsorption in heterostructures: a nondestructive optical method for, 157
Process control in semiconductor technology using ellipsometry, 196
Properties of lamelliform materials, optical, 204
Properties of proton implanted n-type GaAs, optical, 104
Properties in semiconductor technology, microstructrual information from optical, 188
Proton implanted n-type GaAs, optical properties of, 104
Pulsed photoinjection, characterization of low-doped metal oxide semiconductor (MOS) structures using, 59

Raman scattering, characterization of thermal annealing of implanted GaAs using, 84
Raman scattering detection of elemental Group V deposits in native oxides on III-V compound semiconductors, 72
Raman scattering, material characterization by, 78
Reflectance spectra of thin epitaxial silicon layers, infrared, 222
Reflection from the SiO_2-Si film-substrate system, characteristics of polarized light, 242
Reflection spectroscopy analysis of surfaces and thin films, 214
Reflectivity, laser-induced crystal growth measurements by time-resolved optical, 128
Resolved optical reflectivity, laser-induced crystal growth measurements by time-, 128
Resolution optical spectroscopy, semiconductor materials characterization by high-, 11
Roughness characterization, light scattering surface, 136

SiO_2-Si film-substrate system, characteristics of polarized light reflection from the, 242
Si wafers, photoluminescence characterization of thermally-induced defects in Czochralski-grown, 31
Scanner for material/device characterization, applications of a two-wavelength laser, 61
Scanning measurements on $Hg_{0.7}Cd_{0.3}Te$ by population modulation, lifetime, 55
Scattering, characterization of thermal annealing of implanted GaAs using Raman, 84
Scattering detection of elemental Group V deposits in native oxides on III-V compound semiconductors, Raman, 72
Scattering, material characterization by raman, 78
Scattering surface roughness characterization, light, 136
Semiconductor characterization, future needs for, 120
Semiconductor characterization, modulation spectroscopy as a technique for, 142
Semiconductor materials characterization by high-resolution optical spectroscopy, 11
Semiconductor (MOS) structures using pulsed photoinjection, characterization of low doped metal oxide, 59
Semiconductor technology using ellipsometry, process control in, 196
Semiconductor technology, microstructural information from optical properties in, 188
Semiconductor-oxide interfaces, cathodoluminescence studies of, 39
Semiconductors, electro-optical characterization of, 48
Semiconductors by photoluminescence and photoluminescence excitation spectroscopy, characterization of, 2
Semiconductors, Raman scattering detection of elemental Group V deposits in native oxides on III-V compound, 72
Semiconductors using spectroscopic ellipsometry, optical detection and minimization of surface overlayers on, 227
Silicon layers, infrared reflectance spectra of thin epitaxial, 222
Solid, direct determination of the far-infrared optical constants of a, 113

Spectra of thin epitaxial silicon layers, infrared reflectance, 222
Spectrometer: construction, characteristics, and capabilities, a new high precision differential, 234
Spectroscopic ellipsometry, optical detection and minimization of surface overlayers on semiconductors using, 227
Spectroscopy analysis of surfaces and thin films, reflection, 214
Spectroscopy of carbon-implanted GaAs, infrared localized vibrational mode, 109
Spectroscopy, characterization of semiconductors by photoluminescence and photoluminescence excitation, 2
Spectroscopy for the optical characterization of thin metal films and their surfaces, surface plasmon, 96
Spectroscopy, semiconductor materials characterization by high-resolution optical, 11
Spectroscopy as a technique for semiconductor characterization, modulation, 142
Structures using pulsed photoinjection, characterization of low-doped metal oxide semiconductor (MOS), 59
Studies of semiconductor-oxide interfaces, cathodoluminescence, 39
Substrate system, characteristics of polarized light reflection from the SiO_2-Si film-, 242
Surface overlayers on semiconductors using spectroscopic ellipsometry, optical detection and minimization of, 227
Surface plasmon spectroscopy for the optical characterization of thin metal films and their surfaces, 96
Surface roughness characterization, light scattering, 136
Surfaces, surface plasmon spectroscopy for the optical characterization of thin metal films and their, 96
Surfaces and thin films, reflection spectroscopy analysis of, 214

Technique for semiconductor characterization, modulation spectroscopy as a, 142
Techniques, ellipsometric configurations and, 180
Technology, microstructural information from optical properties in semiconductor, 188
Thermal annealing of implanted GaAs using Raman scattering, characterization of, 84
Thermally-induced defects in Czochralski-grown Si wafer, photoluminescence characterization of, 31
Thin epitaxial silicon layers, infrared reflectance spectra of, 222
Thin films, reflection spectroscopy analysis of surfaces and, 214
III-V compound semiconductors, Raman scattering detection of elemental Group V deposits in native oxides on, 72
Time-resolved optical reflectivity, laser-induced crystal growth measurements by, 128
Transmission characterization of p-type gallium arsenide, infrared, 101
Two-wavelength laser scanner for material/device characterization, applications of a, 61
Vibrational mode spectroscopy of carbon-implanted GaAs, infrared localized, 109

Wafers, photoluminescence characterization of thermally-induced defects in Czochralski-grown Si, 31